

Product Catalogue

REFRIGERATED DISPLAY CABINETS





Ticari hayatına 1961 yılında elektrik malzemesi satıcılığı ile başlayan firmamız, ilk ticari tip buzdolabı imalatını 1963 yılında 200 metrekare atölyesinde gerçekleştirmiştir. Firmamız bugün 20.000m² kapalı alan, 28.000m² açık alan üzerinde kurulu fabrikasında son teknoloji makine ekipmanı ve otomasyon sistemi ile üretimine devam etmektedir. Konusunda deneyimli uzman çalışanlarımızla gerçekleştirilen üretimimiz, AR-GE bölümümüz ile sürekli iyileştirmeler yapılarak desteklenmektedir. TÜBİTAK destekli projelerimiz bunlara en iyi örnektir.

ISO9001 ve CE belgelerine sahip firmamız ilk ihracatını 1989 yılında Almanya'ya gerçekleştirmiştir. Diktas 2014 yılında 38 ülkeye toplam üretiminin %67'sini ihraç ederek ülke ekonomisine katkıda bulunmuştur. Müşteri memnuniyetini her zaman kendisine ilke edinen, yaptığı tüm ürünlerde garanti ve servis güvencesi veren firmamız bundan sonraki ticari hayatında da edinmiş olduğu güvenilir ve istikrarlı yapısından ödün vermeden kalıcı hizmetler vermeye devam edecektir.

Görev ve Sorumluluklarımız;

- Yüksek kaliteli ürünler üretmek için yüksek teknoloji ve modern üretim yöntemlerine sahip olmak,
- Uluslar arası piyasalara satış yapabilmek ve dünya standartlarına erişmek için çaba sarf etmek,
- Firma ürünlerinin kullanımı ve yararlılığı konusunda geliştirme çalışmaları uygulayarak maliyeti daha düşük, kalitesi daha yüksek ürünleri üretmek,
- **AR-GE** yöntemlerini geliştirerek ürün çeşitliliğini arttırmak,
- Kurumsallaştırma politikasını geliştirmek için departmanlaşmadan başlayan alt yapıya sahip olmak.
- Çalışanlarımızın çevre konusundaki hassasiyetlerini arttırmak ve çevreye ve insane sağlığına duyarlı ürünler üretmek,

Hedef ve Vizyonumuz;

***DIKTAS** firması, ticari tip soğutucu sektöründe yüksek kaliteli üretim gücüyle bir dünya markası olmayı hedeflemektedir

Founded in 1961, Diktas specialises in the design, planning and production of the commercial refrigerators. Within more than 50 year experience and knowledge, feels the proud of presenting the best quality with the best price to our customers.

The production plant, which employs over 80 workers, is in Ankara, in the capital city of Turkey , and occupies a covered area of 20.000 square meters and a total surface area of 28.000 square metres.

The company has grown, thanks to its dynamism and an ability to interpret and develop clients' needs, to become a leader in the commercial refrigeration sector.

Diktas manufactures:

- Serve-over counters
- Multideck wall cabinets for Dairy products, Meat products and Fruit & Vegetables
- Vertical bottle coolers
- Vertical Frozen food cabinets
- Island deepfreezers
- Coldroom panels
- Central cooling systems
- Split Condensing units

icindekiler / index

02 Tuna VG

04 Tuna CLASSIC

06 Yunus / *Dolphin*

08 Kuğu / *Swan*

10 Penguen / *Penguin*

12 Penguen / *Penguin*

Sebze - Meyve / *Fruit - Vegetable* - Paket Et / *Packet Meat*

14 Nice

Plug-in

16 Flamingo

18 Oxford

20 Oxford 76 GSD

22 Oxford 70

Plug-in

24 Igloo

Derindondurucu / *Deepfreezer*

26 Porto

Derindondurucu / *Deepfreezer*

28 Braga

Derindondurucu / *Deepfreezer*

30 Hemera

Plug-in

32 Apollo & Orion

Plug-in

03 Tuna CG

05 Tuna

07 Pelikan / *Pelican*

09 Penguen LOW / *Penguin LOW*

11 Penguen / *Penguin*

13 Penguen M HGD / *Penguin M HGD*

15 Penguen 70 SL / *Penguin 70 SL*

17 Flamingo LT

Derindondurucu / *Deepfreezer*

19 Oxford 76

21 Oxford 76 HGD

23 Combi

Derindondurucu / *Deepfreezer*

25 Island

Derindondurucu / *Deepfreezer*

27 Lisbon

Derindondurucu / *Deepfreezer*

29 Pandora

Plug-in

31 Artemis

Plug-in

TUNA VG

Yatay Tip Reyon Soğutucular / Serve - Over Counters




STANDARD FEATURES


- Remote or plug-in unit
- Straight glass with lifting hydraulic cylinders on
- Class 3M1
- Stainless steel base plates
- Stainless steel work table
- T5 Canopy lighting
- Ral color choices
- Anti mist system for front glass by ventilation

OPTIONS


- Stainless steel stands two level
- Cutting board
- Knife holder
- Holder plastic bags
- Led Light
- Divinding Glass




Tuna VG Internal Corner




Tuna VG External Corner




Tuna VG




Tuna VGH



Tuna VGH Pastry



Tuna VG Self-Service



Tuna VG Fish



Yatay Tip Reyon Soğutucular / Serve - Over Counters

TUNA CG




STANDARD FEATURES


- Remote or plug-in unit
- Curved glass with lifting hydraulic cylinders on with rounded corner
- Class 3MI
- Stainless steel base plates
- Stainless steel work table
- T5 Canopy lighting
- Ral color choices
- Anti mist system for front glass by ventilation

OPTIONS


- Stainless steel stands two lowel
- Cutting board
- Knife holder
- Holder plastic bags
- Led Light
- Divinding Glass



Tuna CG



Tuna CG Internal Corner



Tuna CG External Corner

TUNA CLASSIC

Yatay Tip Reyon Soğutucular / Serve - Over Counters




STANDARD FEATURES

- Remote or plug-in unit
- Flat glass with lifting hydraulic cylinders on
- Class 3MI
- Stainless steel base plates
- Stainless steel work table
- T5 Canopy lighting
- Ral color choices
- Anti mist system for front glass by ventilation

OPTIONS

- Stainless steel stands two lowel
- Cutting board
- Knife holder
- Holder plastic bags
- Led Light
- Divinding Glass




Tuna Classic






Yatay Tip Reyon Soğutucular / Serve - Over Counters


TUNA



Tuna




Tuna HG Self-Service



Tuna LG Self-Service

TUNA VG Self-Servis / Self-Service

Serve Overs



TEKNİK ÖZELLİKLER

- Dıştan ve içten motor seçeneği
- Fan üfleli soğutma sistemi
- Otomatik defrost
- Digital gösterge ve termostat
- 40 kg/m³ poliüretan enjeksiyonlu gövde
- ABS Poliüretan enjeksiyonlu yan paneller
- Amortisörlü yukarı doğru açılan sekurit-temperli camlar
- Paslanmaz çelik gövde ve teşhir yüzeyi
- Paslanmaz çelik çalışma tezgâhı
- Ayarlanabilen teşhir tavaları
- Ön cam buğulanmayı önleyici fan sistemi
- Dekorasyona uygun RAL renk seçenekleri
- Kapalı ve açık ayak seçeneği

STANDARD FEATURES


- Remote or Plug-in Choices
- Air ventilated cooling system
- Programmable defrosting with digital thermostat
- 40kg/m³ polyurethane injection body
- ABS Polyurethane injected side panels,
- Tempered curved glass with lift-up system
- Stainless steel display
- Stainless steel working plate
- Stainless steel body
- Adjustable display trays
- Anti-mist system for front glasses by ventilation
- Ral color choices
- Available with closed bottom trim or with legs.



Yatay Tip Reyon Soğutucular / Serve - Over Counters

Pelican /

PELİKAN




TEKNİK ÖZELLİKLER

- Dıştan ve içten motor seçeneği
- Fan üfleli soğutma sistemi
- Otomatik defrost
- Digital gösterge ve termostat
- 40 kg/m³ poliüretan enjeksiyonlu gövde
- ABS Poliüretan enjeksiyonlu yan paneller
- Amortisörlü yukarı doğru açılan sekurit-temperli camlar
- Paslanmaz çelik gövde ve teşhir yüzeyi
- Paslanmaz çelik çalışma tezgâhı
- Ayarlanabilen teşhir tavaları
- Ön cam buğulanmayı önleyici fan sistemi
- Dekorasyona uygun RAL renk seçenekleri
- Kapalı ve açık ayak seçeneği

STANDARD FEATURES

- Remote or Plug-in Choices
- Air ventilated cooling system
- Programmable defrosting with digital thermostat
- 40kg/m³ polyurethane injection body
- ABS Polyurethane injected side panels,
- Tempered curved glass with lift-up system
- Stainless steel display
- Stainless steel working plate
- Stainless steel body
- Adjustable display trays
- Anti-mist system for front glasses by ventilation
- Ral color choices
- Available with closed bottom trim or with legs.



Kuğu / Swan

TEKNİK ÖZELLİKLER

- Dıştan Motor
- Fan üflemleri soğutma sistemi
- Otomatik defrost
- Digital gösterge ve termostat
- 40 kg/m³ poliüretan enjeksiyon gövde
- Poliüretan enjeksiyonlu yan paneller
- Amortisörlü yukarı doğru açılan sekurit camlar
- Paslanmaz çelik teşhir yüzeyi
- Paslanmaz çelik çalışma tezgahı
- Ayarlanabilen teşhir tavaları
- Buğulanmayı önleyici fan sistemi
- Dekorasyona uygun RAL renk seçenekleri

STANDARD FEATURES

- Remote or Plug-in Choices
- Air ventilated cooling system
- Programmable defrosting with digital thermostat
- 40kg/m³ polyurethane injection body
- Polyurethane injected side panels,
- Tempered curved glass with lift-up system
- Stainless steel display
- Stainless steel working plate
- Adjustable display trays
- Anti-mist system for front glasses by ventilation
- Ral color choices
- Available with closed bottom trim or with legs.





Dikey Tip Soğutucular
Multideck Cabinets Semi Height


PENGUEN LOW

TEKNİK ÖZELLİKLER


- Dıştan Motorlu,
- 40 kg/m³ poliüretan enjeksiyon gövdeli,
- Dijital göstergeli,
- Termostatlı ve otomatik defrostlu,
- Paslanmaz çelik teşhir tavalı,
- İthal gece perdeli,
- PVC ön tampon koruyuculu,
- 2 sıra raflı,
- Bütün raflarda eşit hava dağılımı,
- Ral seçenekleri,
- Ada uygulaması
- Raf Altı aydınlatma(opsiyonel)

STANDARD FEATURES


- Remote unit
- Air ventilated cooling system
- 40kg/m³ polyurethane injection body
- Stainless steel display
- Programmable defrosting with digital thermostat
- Manual night blind for energy saving
- PVC bumper for protection
- Equal airflow between the shelves
- Adjustable 2 shelf
- RAL color choices
- Sliding Door Choices



Penguen Low 90



Penguen Low 105



Penguen Low 105 / Back to Back

PENGUEN

/ *Penguin*

Dikey Tip Soğutucular / Multideck Cabinets



Penguin 105 SL



Paketlenmiş et ve tavuk ürünleri, süt ürünleri, şarküteri, sıvı içecekler ve sebze-meyve ürünlerinin en iyi şekilde soğuk olarak muhafazasında ve teşhirinde kullanılmak üzere dizayn edilmiştir.

TEKNİK ÖZELLİKLER

- İçten ve Dıştan motorlu Soğutma
- 40 kg/m³ poliüretan enjeksiyonlu gövde,
- Dijital göstergeli ve termostatlı, otomatik defrostlu,
- Paslanmaz çelik teşhir tavalı,
- İthal hidrolik gece perdeli,
- PVC ön tampon koruyuculu,
- *4 sıra raflı, Bütün raflarda eşit hava dağılımı,
- Çift kademeli ayarlanabilir raflar
- Ral renk seçenekleri
- 90° İç Köşe Seçeneği

PENGUIN is designed for display, save and selling for the dairy products, pre-packed fresh meat, fruit & vegetables and alcoholic & non alcoholic beverages .

STANDARD FEATURES

- Plug-in or Remote Control choices
- Air ventilated cooling system
- 40kg/m³ polyurethane injection body
- Programmable defrosting with digital thermostat
- Stainless steel display
- Hydrolic night blind for energy saving
- PVC bumper for protection
- Equal airflow between the shelves
- *Adjustable 4 line shelf
- RAL color choices
- 90° Internal corner units




Single Glass Door LED Light

Bu tip soğutucular gündüz hava perdesi ile, gece ithal tasarruf perdesi ile maksimum ekonomi, minimum enerji sarfıyatı sağlar.

**Yüksek sütlük modellerimizde 5 sıra raf bulunmaktadır.*

**Penguin High models have 5 line shelf as a Standard*



PENGUEN


/Penguin Dikey Tip Soğutucular / Multideck Cabinets



Sebze / Meyve Reyonu Penguin-I05FV
Fruit / Vegetable Cabinet Penguin-I05FV




Paket Et Reyonu Penguin-I05MT
Packed Meat Cabinet Penguin-I05MT



Penguin 90 FV

Penguin 105 FV


Penguin L FV



Penguin 90 MT

Penguin 105 MT


Penguin L MT



Penguin 90 FVH

Penguin 105 FVH

Penguin L FVH



Penguin 90 MTH

Penguin 105 MTH

Penguin L MTH




Cam Kapaklı Dikey Tip Soğutucular
Glass Door Multideck Cabinets


Penguin /

PENGUEN M HGD


ENERGY SAVER




Penguen M 76 HGD




Penguen M 76H HGD




Penguen M 90 HGD



Penguen M 90H HGD



Penguen M 105 HGD



Penguen M 105H HGD




Hinged Glass Door



NICE

/ Nice

Dikey Tip Soğutucular / Plug-in Multideck Cabinets



Nice

STANDARD FEATURES

- Low front Integral Multideck
- 5 x 400mm shelves + base
- Slide out machinery tray
- Full vision panoramic end walls
- Automatic defrost Multiplexable
- Digital controller
- 3M2 temp range
- Slowrise night blind
- PVC bumper
- Shelf strengtheners as standard
- Perspex shelf risers




Dikey Tip Soğufucular / Multideck Cabinets

Penguin 70 SL /

PENGUEN 70 SL

SLIM LINE



Penguen 70 SL



STANDARD FEATURES

- Class 3M2
- Remote unit
- Ultra Slim Depth
- Slow rise night blind
- Digital controller
- Base +5 adjustable shelf
- PVC Bump strips

FLAMİNGO

ENERGY SAVER

Cam Kapaklı Dikey Tip Soğutucular / Glass Door Multideck Cabinets




TEKNİK ÖZELLİKLER

- Dıştan Motor
- Otomatik defrost
- 40 kg/m³ poliüretan enjeksiyon gövde
- Dijital Termostat
- Ayarlanabilir Zemin + 4 Sıra Raf
- Paslanmaz Çelik Zemin Teşhir Tavası
- İthal Alüminyum Kapı ve Çerçeveler
- PVC tampon Koruma

STANDARD FEATURES

- Remote unit
- Programmable defrosting
- 40 kg/m³ polyurethane injection body
- Digital Thermostat
- Stainless Steel Base Display Shelf
- Adjustable Base + 4 shelf
- Matt Aluminium Frame & Doors
- PVC Bumper for Protection
- RAL color Choices



Flamingo NT


FLAMİNGO
NT ŞİŞE SOĞUTUCU
NT BOTTLE COOLER
(0° C/+8° C)




Cam Kapaklı Dikey Tip Soğutucular / Glass Door Deepfreezer

FLAMİNGO LT

FLAMİNGO LT
FROZEN FOOD
(-18° C/-22° C)



Flamingo LT 2050
2D-3D-4D-5D



Flamingo LT 2200 H
2D-3D-4D-5D

- Heated Aluminium Frames & Doors
- 50 kg/m³ Polyurethane injection bod
- Wire shelves
- Digital controller




TEKNİK ÖZELLİKLER


- 40 kg/m³ poliüretan enjeksiyon gövdeli,
- Dijital göstergeli, termostat
- Otomatik defrostlu,
- Paslanmaz çelik teşhir tavalı,
- İthal gece perdeli,
- PVC ön tampon koruyuculu,
- 5 sıra raflı,
- Bütün raflarda eşit hava dağılımı,
- Ral renk seçenekleri,
- Dıştan Motorlu,
- Bu tip soğutucular gündüz hava perdesi ile, gece ithal tasarruf perdesi ile maksimum ekonomi, minimum enerji sarfıyatı sağlar.



Paketlenmiş et ve ürünleri, süt ve ürünleri, şarküteri, sıvı çecekler ve sebze-meyve ürünlerinin en iyi şekilde soğuk olarak muhafazasında ve teşhirinde kullanılmak üzere dizayn edilmiştir.



Oxford SL



Oxford FV



Dikey Tip Soğutucular / Multideck Cabinets


OXFORD 76

STANDARD FEATURES


- Remote Unit
- Class 3M2
- Low front design
- 5 fully adjustable shelves 420 mm deep
- Perspex shelf risers
- Slowrise night blind
- Shelf strengtheners as a standard
- Digital temperature controller and display
- Full vision panoramic or mirrored end walls
- Bump strips

OPTIONAL


- Led Light



Oxford 76 SL



Oxford 76 SLH



Oxford 76 FV



ECA APPROVED

Professional display for supermarkets.
Oxford 76 is a remote multideck offering large merchandising opportunities with 420 mm deep shelves.

OXFORD 76 GSD

ENERGY SAVER

Cam Kapaklı Dikey Tip Soğutucular / Glass Door Multideck Cabinets




Sliding Glass Door

STANDARD FEATURES

- Remote unit
- Sliding Glass Door
- Digital Controller
- Base +5 adjustable shelves
- Epos strips
- Perspex risers
- Multiplexible

OPTIONAL

- LED Lighting on canopy and frame



Oxford 76 GSD

Oxford 76 GSD H



Cam Kapılı Dikey Soğutucular / Glass Door Multideck Cabinets

OXFORD 76 HGD


ENERGY SAVER

STANDARD FEATURES


- Remote unit
- Hinged Glass Door
- Digital Controller
- Base +5 adjustable shelves
- Epos strips
- Perspex risers
- Multiplexible

OPTIONAL

- LED Lighting on canopy and frame



Oxford 76 HGD



Oxford 76 HGD H




Hinged Glass Door



OXFORD 70

INTEGRAL

Dikey Tip Soğutucular / Plug-in Multideck Cabinets



Oxford 70

STANDARD FEATURES

- Plug-in unit
- 4 tier adjustable shelving + base
- Shelf strengtheners
- EPOS price strips
- Perspex risers
- Full vision panoramic or mirrored end walls
- Automatic defrost
- Digital controller

OPTIONAL

- LED Lighting
- Hinged Glass Door (Single or Double)



COMBI


Derin Dondurucu / Deepfreezer

STANDARD FEATURES


- Combi Deepfreezers;
- Polyurethane body
- Adjustable wire shelf
- Bumper;
- Digital thermostat;
- Remote unit

OPTIONAL

- LED canopy and frame lighting
- Wire divider and tray
- Slow rise night blind
- Sliding Glass Door



Combi 1
Single Evaporator



Combi 2
Double Evaporator



Derin Dondurucu
Deepfreezer
(-18° C/ -22° C)

IGLOO

Yatay Tip Derin Dondurucu / Horizontal Show Case Freezer



TEKNİK ÖZELLİKLER

- Yatay Havuz reyon
- Poliüretan gövde
- Evaporatör exp. Valf
- Tampon
- Dijital Termostat




STANDARD FEATURES

- Remote unit;
- Polyurethane body
- Evaporator exp. Valf Bumper;
- Digital thermostat;

OPTIONAL

- Slow rise night blind
- Wire tray and divider
- Sliding Glass Door

**Yatay Tip
Derin Dondurucu
Horizontal
Show Case Freezer**





Yatay Tip Derin Dondurucu / Horizontal Show Case Freezer

ISLAND

Yatay Tip Derin Dondurucu Horizontal Show Case Freezer

TEKNİK ÖZELLİKLER


- Dıştan motorlu yatay reyon
- Poliüretan gövde
- Çift Evaporatör exp. Valf ile Tampon
- Dijital Termostat
- Air-frost sistem
- Gondol başı uygulaması

STANDARD FEATURES

- Remote control unit;
- Polyurethane body
- Double Evaporator exp. with Valf
- Bumper;
- Digital termostat;
- Air-frost system
- Head Cabinet option

OPTIONAL

- Slow rise night blind
- Wire tray and divider
- Sliding Glass Door






MODEL	PORTO 2D	PORTO 2DPN	PORTO GONDOLA D	PORTO GONDOLA DPN
Net Volume (L)	670	670	450	450
Gross Volume (L)	890	890	620	620
Dimensions (mm)	2020 x 920 x 830	2020 x 920 x 830	2020 x 920 x 830	2020 x 920 x 830
Packing Dimensions(mm)	2020 x 920 x 830	2020 x 920 x 830	2020 x 920 x 830	2020 x 920 x 830
Weight (gross/net) (kg)	161/127	161/127	154/120	154/120
Voltage / Frequency	220 – 240 V / 50Hz			



Professional Display for Supermarket

The PORTO line includes the GONDOLA model – its distinctive modern design and trapezoidal shape ensure high visibility for the products displayed, as well as facilitating movement around it. Together with the PORTO 2.0 model, it forms a very attractive island, providing substantial storage and display capacity, boosting sales of frozen and chilled products


- Working Temperature (+15 °C/ -26°C)
- 2 Compressor on operation
- Automatic defrosting cycle
- Electronic Temperature Controller
- Both freezer & chiller Option
- LED Lighting
- R134a



PORTO



PORTO GONDOLA





Yalay Tip Derin Dondurucu / Horizontal Plug-in Show Case Freezer


LISBON

Professional Display for Ice-Creams and Frozen Food

- Interior and exterior in white PVC coated galvanized steel.
- Copper tube evaporator and condenser
- Warmed frame to avoid lids blockade
- 70 mm. insulation (100% CFC free).
- 2 Compressor on operation
- Bumper bars as standard.
- Adjustable Thermostat
- Inside lighting.
- R134a



MODEL	LISBON 1.5 DPN	LISBON 2 DPN	LISBON GONDOLA DPN
Automatic Defrost	YES	YES	YES
Temperature Range	+15 a -26	+15 a -26	+15 a -26
Net Volume (L)	350	518	370
Gross Volume (L)	492	712	520
Dimensions (mm)	1500 x 940 x 880	2000 x 940 x 880	1770 x 900 x 840
Packing Dimensions(mm)	1630 x 970 x 1090	2150 x 970 x 1090	1920 x 970 x 1090
Weight (gross/net) (kg)	113 / 98	138 / 123	125 / 120
Voltage / Frequency	220 – 240 V / 50Hz		






Professional Display for Supermarket



- Working Temperature (+15 °C/ -26°C) 2 2
- Compressor on operation
- Automatic defrosting cycle
- Electronic Temperature Controller
- Both freezer & chiller Option
- LED Lighting
- R134a




MODEL	BRAGA 2 DPN	BRAGA GONDOLA DPN
Net Volume (L)	580	470
Gross Volume (L)	800	740
Energy Consumption (kWh / 24h) R134a / R290	8,3 / 7	8,3 / 7
Dimensions (mm)	2020 x 930 x 790	1990 x 930 x 790
Packing Dimensions(mm)	2110 x 1020 x 850	2090 x 1020 x 850
Weight (gross/net) (kg)	161 / 127	154 / 120
Voltage / Frequency	220 – 240 V / 50Hz	



BRAGA



BRAGA GONDOLA





Dikey Tip Soğutucular / Plug-in Multideck Cabinets

PANDORA



Pandora SL

STANDARD FEATURES


- Plug-in unit
- 4 tier adjustable shelving + base
- Shelf strengtheners
- EPOS price strips
- Perspex risers
- Full vision panoramic or mirrored end walls
- Automatic defrost
- Digital controller


OPTIONAL
LED Lighting



Pandora FV

Pandora MT





TEKNİK ÖZELLİKLER

- İçten motorlu
- Hava üflemleri soğutma sistemi
- Otomatik defrost
- Dijital gösterge ve termostat
- 40kg/m³ poliüretan enjeksiyonlu gövde
- Amortisörlü yukarı doğru açılabilen sekurit camlar
- Paslanmaz çelik teşhir yüzeyi Soğutmalı ve paslanmaz çelik kaplı depo
- Plexi glass arka kapılar
- Ara cam raf seçeneği
- Ön bombe Alüminyum profil
- Paslanmaz çelik çalışma tezgahı
- RAL renk seçenekleri

STANDARD FEATURES

- Plug-in Serve Over counter
- Air frost cooling system
- Programmable defrosting with digital thermostat
- 40kg/m³ Polyurethane injected body
- Polyurethane injected side panels made by ABS
- Display surfaces in stainless steel
- Refrigerated storage compartment (stainless steel)
- Tempered curved glass with lift up system, easily removable and clean.
- Rear doors(plexiglass)
- Glass intermediate shelf
- Aluminium profile for front decoration.
- Different RAL choices
- Stainless steel working plate




Artemis 90 Slim

STANDARD FEATURES

- Plug-in Serve Over counter
- Air frost cooling system
- Programmable defrosting with digital thermostat
- Polyurethane injected body
- Polyurethane injected side panels made by ABS
- Refrigerated storage compartment(stainless steel)
- Display surfaces in stainless steel
- Stainless steel working plate
- Rear doors(plexiglass)
- Glass intermediate shelf
- Different RAL Choices
- Tempered curved glass with pull down system, easily removable and clean.

Yatay Tip Reyon Soğutucular / Serve - Over Counters


ARTEMİS




Artemis




Artemis VG




Artemis VG



Artemis VG Slim



Artemis 90 Slim



Artemis Static



APOLLO & ORION

Dikey Tip Soğutucular / Multideck Cabinets - Semi Height



Apollo

Apollo

TEKNİK ÖZELLİKLER

- İçten Motorlu
- 2 sıra raflı
- Gece perdesi
- Su buharlaştırma sistemi
- Ral renk seçenekleri
- Çift camlı yan panel

STANDARD FEATURES

- Plug-in unit
- 2 row Shelf
- Hydraulic Night Blind
- Multiplexible
- Water evaporation kit
- Double Glass side panel
- Ral color

Orion

TEKNİK ÖZELLİKLER


- İçten motorlu promosyon dolabı
- Üfleli soğutma sistemi
- 28 cm Yükseklik en geniş iç hacim
- Polyüretan enjeksiyon gövde
- Paslanmaz çelik koruyucu tampon
- Paslanmaz çelik iç teşhir yüzeyi

STANDARD FEATURES


- Plug-in cabinet
- Air frost cooling system
- Programmable defrosting with digital thermostat
- Polyurethane injected body
- Stainless steel bumper and decor
- Display surfaces in stainless steel



Orion



Apollo



Orion



RAL

RENKLER / COLOURS

RAL 1013	RAL 1015	RAL 1018	RAL 1023	RAL 1028
RAL 2003	RAL 2004	RAL 2008	RAL 3000	RAL 3003
RAL 3004	RAL 3020	RAL 5002	RAL 5005	RAL 5010
RAL 5015	RAL 5018	RAL 6018	RAL 6019	RAL 6029
RAL 7015	RAL 7016	RAL 7021	RAL 7024	RAL 8024
RAL 9003	RAL 9005	RAL 9006	RAL 9010	RAL 9016

MAMÜL ÖZELLİKLERİNİ VE AKSAMINI DEĞİŞTİRME HAKKIMIZ SAKLIDIR.

Great care has been taken to ensure that the information contained within this catalogue is accurate however errors and omissions are excepted. All sizes are in millimetres and subject to + / - 5 mm tolerance levels. Images are for illustration purposes only and Diktas reserves the right to change product appearance and / or specification at any given time without prior notification.





SOĞUTMA VE METAL İMALAT SANAYİ TİCARET A.Ş.

1. Organize Sanayi Bölgesi Kırımhanlığı Cad.
No: 18 Sincan-Ankara/Türkiye 06935

Tel.: +90 (312) 267 01 90 (PBX)

Fax: +90 (312) 267 10 03



<http://www.diktas.com> / e-mail: diktas@diktas.com



A4 GRAFİK
mühürleme & yayıncılık & reklam
ve bilginisi hizmetleri Ltd.Şti.
Tel: (+90212) 452 40 99
Baskı Tarihi: 09.11.2015
Baskı: 1.000 Adet